Welcome to STN International! Enter x:x

LOGINID:SSPTAKAB1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * *	* *	* *	* *	* Welcome to STN International * * * * * * * * * *								
NEWS	1			Web Page for STN Seminar Schedule - N. America								
NEWS	2	NOV	21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present								
NEWS	3	NOV	26	MARPAT enhanced with FSORT command								
NEWS	4	NOV		CHEMSAFE now available on STN Easy								
NEWS	5	NOV		wo new SET commands increase convenience of STN								
112110	J			searching								
NEWS	6	DEC	01	ChemPort single article sales feature unavailable								
NEWS	7	DEC	12	GBFULL now offers single source for full-text coverage of complete UK patent families								
NEWS	8	DEC	17	Fifty-one pharmaceutical ingredients added to PS								
NEWS	9	JAN		The retention policy for unread STNmail messages								
				will change in 2009 for STN-Columbus and STN-Tokyo								
NEWS	10	JAN	0 /	WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data								
NEWS	11	FEB	02	Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE								
NEWS	12	FEB	02	GENBANK enhanced with SET PLURALS and SET SPELLING								
NEWS	13	FEB	06	Patent sequence location (PSL) data added to USGENE								
NEWS	14	FEB	10	COMPENDEX reloaded and enhanced								
NEWS	15	FEB	11	WTEXTILES reloaded and enhanced								
NEWS	16	FEB	19	New patent-examiner citations in 300,000 CA/CAplus								
				patent records provide insights into related prior art								
NEWS	17	FEB	19	Increase the precision of your patent queries use terms from the IPC Thesaurus, Version 2009.01								
NEWS	18	FEB	23	Several formats for image display and print options discontinued in USPATFULL and USPAT2								
NEWS	10	FEB	22	MEDLINE now offers more precise author group fields								
NEWS	19	r ED	23	and 2009 MeSH terms								
NEWS	20	FEB	23	TOXCENTER updates mirror those of MEDLINE - more precise author group fields and 2009 MeSH terms								
NEWS	21	FEB	23	Three million new patent records blast AEROSPACE into								
NEWS	22	FEB	25	STN patent clusters USGENE enhanced with patent family and legal status								
NEWS	23	MAR	0.6	display data from INPADOCDB INPADOCDB and INPAFAMDB enhanced with new display								
NEWS	23			formats								
NEWS	24	MAR	11	EPFULL backfile enhanced with additional full-text applications and grants								
NEWS	25	MAR	11	ESBIOBASE reloaded and enhanced								
NEWS		MAR		CAS databases on STN enhanced with new super role								

for nanomaterial substances

NEWS 27 MAR 23 CA/CAplus enhanced with more than 250,000 patent equivalents from China

NEWS 28 MAR 30 IMSPATENTS reloaded and enhanced

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items

NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:32:58 ON 30 MAR 2009

=> file reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.22 0.22

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 09:33:05 ON 30 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ${\tt ZIC/VINITI}$ data file provided by InfoChem.

STRUCTURE FILE UPDATES: 27 MAR 2009 HIGHEST RN 1128305-29-2 DICTIONARY FILE UPDATES: 27 MAR 2009 HIGHEST RN 1128305-29-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>

Uploading C:\Program Files\STNEXP\Queries\10551737 R5 is heteroring.str

=> d L1L1 HAS NO ANSWERS T.1 STR

Structure attributes must be viewed using STN Express query preparation.

=> file caplus COST IN U.S. DOLLARS FULL ESTIMATED COST

SINCE FILE ENTRY SESSION 0.70 0.48

TOTAL

FILE 'CAPLUS' ENTERED AT 09:33:21 ON 30 MAR 2009 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Mar 2009 VOL 150 ISS 14 FILE LAST UPDATED: 29 Mar 2009 (20090329/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s L1 SSS full

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 09:33:25 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 991122 TO ITERATE

99.2% PROCESSED 983301 ITERATIONS

2 ANSWERS

100.0% PROCESSED 991122 ITERATIONS

2 ANSWERS

SEARCH TIME: 00.00.25

L2 2 SEA SSS FUL L1

L3 1 L2

=> d ibib abs hitstr 1-

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):v

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN ACCESSION NUMBER: 2002:171867 CAPLUS Full-text

DOCUMENT NUMBER: 136:232314

TITLE: Preparation of aminoquinazolines as epidermal growth

factor receptor signal transduction inhibitors

INVENTOR(S): Himmelsbach, Frank; Langkopf, Elke; Jung, Birgit;

Blech, Stefan; Solca, Flavio

PATENT ASSIGNEE(S): Boehringer Ingelheim Pharma Kg, Germany

.....

SOURCE: PCT Int. Appl., 103 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.				KIND		DATE		APPLICATION NO.				DATE					
WO 2002018351					A1 20020		0307	WO 2001-EP9532					20010818				
	W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	AZ,	BA,	BB,	ВG,	BR,	BY,	BZ,	CA,	CH,	CN,
		CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GE,	GH,
		GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KΖ,	LC,	LK,	LR,
		LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NO,	NΖ,	PH,	PL,
		PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,	SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	UG,
		US,	UΖ,	VN,	YU,	ZA,	ZW										
	RW:	GH,	GM,	KΕ,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,
		DE,	DK,	ES,	FΙ,	FR,	GB,	GR,	ΙE,	ΙT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,
		ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML ,	MR,	ΝE,	SN,	TD,	ΤG	
DE 10042058					A1 20020307				DE 2000-10042058					20000826			
AU	AU 2001087694				A 20020313				AU 2001-87694					20010818			
CA	CA 2417897				A1 20030130				CA 2001-2417897					20010818			
EΡ	P 1315705				A1	20030604			EP 2001-967285					20010818			
	R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙT,	LI,	LU,	NL,	SE,	MC,	PT,
		ΙE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR						

BR 2001013519	A	20030701	BR	2001-13519		20010818
НU 2003000819	A2	20030929	HU	2003-819		20010818
НU 2003000819	А3	20080328				
JP 2004507529	T	20040311	JP	2002-523469		20010818
EE 200300077	A	20041215	EE	2003-77		20010818
NZ 524668	A	20060630	NZ	2001-524668		20010818
AU 2001287694	B2	20070906	AU	2001-287694		20010818
IL 154602	A	20080708	IL	2001-154602		20010818
CN 100404517	С	20080723	CN	2001-814635		20010818
US 20020082271	A1	20020627	US	2001-934772		20010822
US 6656946	B2	20031202				
ZA 2003000991	A	20040416	ZA	2003-991		20030205
BG 107559	A	20031031	ВG	2003-107559		20030214
IN 2003MN00222	A	20050211	IN	2003-MN222		20030214
MX 2003001483	A	20030606	MX	2003-1483		20030218
NO 2003000870	A	20030225	ИО	2003-870		20030225
NO 324866	B1	20071217				
KR 862873	B1	20081015	KR	2003-702744		20030225
нк 1057557	A1	20081031	HK	2004-100462		20040121
PRIORITY APPLN. INFO.:			DE	2000-10042058	A	20000826
			US	2000-230035P	P	20000905
			WO	2001-EP9532	W	20010818

OTHER SOURCE(S): MARPAT 136:232314 GΙ

Title compds. [I; R1 = PhCH2, 1-phenylethyl, (substituted) Ph; R2, R3 = AΒ O(CH2)mR4, methoxy, cyclobutyloxy, cyclopentyloxy, cyclopropylmethoxy, cyclobutylmethoxy, cyclopentylmethoxy, tetrahydrofuran-3-yloxy, tetrahydropyran-3-yloxy, tetrahydropyran-4-yloxy, tetrahydrofuranylmethoxy, tetrahydropyranylmethoxy; R4 = N-(2-oxotetrahydrofuran-4-y1)methylamino, N-(2-oxotetrahydrofuran-4-y1)met oxotetrahydrofuran-4-yl)ethylamino, (substituted) 2-oxo-morpholin-4-yl, R5OCOCH2NCH2CH2OH; R5 = H, alkyl; m = 2-4], were prepared Thus, 4-[(3-4)]bromophenyl) amino] -6 - [2 - (N - [(tert-butyloxycarbonyl) methyl] - N - ((S) - 2 - B) - (N - [(tert-butyloxycarbonyl) methyl] - N - ((S) - B) - (D - B)hydroxypropyl)amino)ethoxy]-7- methoxyquinazoline (preparation given) in MeCN was stirred under reflux with MeSO2OH for 3 h followed by addition of MeSO2OH up to completely conversion to give 85% 4-[(3-bromophenyl)amino]-6-[2-((S)-6methyl-2-oxomorpholin-4- yl)ethoxy]-7-methoxyquinoline. Tested I inhibited epidermal growth factor (EGF)-dependent proliferation of F/L-HERc cells with IC50 = 29-59 nM. The invention relates to the use of the title compds. for treating tumor diseases, and lung and respiratory tract disorders. ΤТ

402735-43-7P 402735-45-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of aminoquinazolines as epidermal growth factor receptor signal transduction inhibitors)

RN 402735-43-7 CAPLUS

CN Glycine, N-[2-[[4-[(3-chloro-4-fluorophenyl)amino]-7-[[(3R)-tetrahydro-3furanyl]oxy]-6-quinazolinyl]oxy]ethyl]-N-(2-hydroxy-2-methylpropyl)-, ethyl ester (CA INDEX NAME)

Absolute stereochemistry.

RN 402735-45-9 CAPLUS

CN Glycine, N-[2-[[4-[(3-chloro-4-fluorophenyl)amino]-6-[[(3S)-tetrahydro-3-furanyl]oxy]-7-quinazolinyl]oxy]ethyl]-N-(2-hydroxy-2-methylpropyl)-, ethyl ester (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log off ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF LOGOFF? (Y)/N/HOLD:y STN INTERNATIONAL LOGOFF AT 09:36:12 ON 30 MAR 2009